

Grow with proven grove protection

Manage your pest challenges and grow a healthier citrus crop with the right tools from Corteva Agriscience. Find insecticides, fungicides and herbicides that deliver excellent performance for your operation, supported by the expertise and service you trust.

HERBICIDE

Embed ®Extra	REI: 48 hr		Group
	PHI: 7 day		4
Liquid	Al: 2,4-D choline	e salt	
Weed Spectrum:		Rat	e/A
Annual, biennial and perennial broadleaf weeds		1 - 4	pts

- · Apply only to groves that have been established for one year
- · For distribution and use only within the state of Florida

Matrix [®] SG	REI: 4 hr	Group
	PHI: 3 day	2
Water soluble granule	Al: Rimsulfuron	

Weed Spectrum:	Rate/A
Broadleaf & grass weeds including barnyardgrass,	
foxtails, crabgrass, chickweed, henbit, marestail,	4 oz
pigweed, annual sowthistle, spurge	

- Pre and early postemergence weed control. No application restrictions
- · Apply to trees established at least one full growing season

Trellis sc	REI: 12 hr	Group
	PHI:	21
Suspension concentrate	Al: Isoxaben	
Weed Spectrum:		Rate/A

Over ninety broadleaf weeds including chickweed, 16 - 31 fl oz dandelion, henbit, marestail, plantain, ragweed, spurge, sowthistle

• Non-bearing citrus: preemergence weed control

FUNGICIDE

Enable ® 2F	REI: 12 hr	Group
	PHI: 0 day	3
Suspension concentrate	Al: Fenbuconazole	

Disease Control: Rate/A 8 oz Citrus black spot, greasy spot, scab, sooty mold, postbloom fruit drop

Systemic fungicide with curative and preventative properties



Citrus PORTFOLIO

INSECTICIDE

Delegate® wG	REI: 4 hr		Group
Jemvelva active	PHI: 1 day		5
Water dispersible granules	Al: Spinetoram		
Insect Control:		Rat	:e/A
Asian citrus psyllid, citrus leafminer, citrus orangedog, leafrollers, thrips		3 -	6 oz
Suppression:		Rat	e/A
Adult diaprepes root weevil			4 oz

Intrepid Edge®	REI: 4 hr	Group
. 3	PHI: 1 day	5
Aqueous suspension	Al: Methoxyfenozide & Spinetoram	18
Insect Control:	Ra	te/A
Asian citrus psyllid Avocado le leafminer, orange dog, citrus p cutworms, fruit tree leafroller, o	eelworm, 6 - 12	fl oz

Intrepid 2F® Aqueous suspension	REI: 4 hr PHI: 1 day Al: Methoxyfe	nozide	Group 18
Insect Control:		Rat	e/A
Citrus leafminer, peelminer, citrus orangedog, leafrollers		8 - 16	fl oz

Transform WG	REI: 4 hr		Group
Isoclast™active	PHI: 0 day		4C
Water dispersible granules	Al: Sulfoxafl	or	
Insect Control:		Rat	e/A
Asian citrus psyllid, aphid, citrus snow scale, mealybugs, citrus thrips, Florida red scale		0.75 - 2.7	5 oz
Suppression:		Rat	e/A
California red scale and citrico	la scale	0.75 - 2.7	5 oz

INSECTICIDE/NEMATICIDE

Vydate ® L	REI: 48 hrs		Group
	PHI: 7 day		1A
Water soluble liquid	Al: Oxamyl		",
Insect Control:		Rat	e/A
FL suppression citrus and sting nematode: Applied thru micro sprinkler		4 - 8	pts
Non-Bearing Citrus: Nematodes including root knot, sting, lesion, burrowing. PrePlant application and/or foliar sprays		1 gal	l PPI
Foliar application: Mites, aphids,	, leafhoppers, thrips	2 - 4	pts

· Follow label for specific rates for rust mite and citrus thrips

NATURALYTE® INSECT CONTROL

western tussock moth

Entrust [®] SC	REI: 4 hr		Group
Qalcova active	PHI: 1 day		5
Suspension concentrate	Al: Spinosad		
Insect Control:		Rat	e/A
Citrus leafminer, citrus orangedog, citrus thrips		4 - 10	fl oz
		74444	



For more information on citrus products, please contact your local Corteva Agriscience territory manager or call 1-800-258-3033.





®TM Trademarks of Corteva Agriscience and its affiliated companies. Vydate® L is a Restricted Use Pesticide.

This reference guide is not intended as a substitute for the product label for the product(s) referenced herein. Product labels for the above product(s) contain important precautions, directions for use, and product warranty and liability limitations, which must be read before using the product(s). Applicators must be in possession of the product label(s) at the time of application. Always read and follow all label direction and precautions for use when using any pesticide alone or in tank-mix combinations.

